

AD \_\_\_\_\_

MIPR NUMBER 94MM4563

TITLE: Predictive Value of Serum Organochlorine Levels and  
Breast Cancer in Occupationally Exposed Populations

PRINCIPAL INVESTIGATOR: Paul A. Schulte, Ph.D.

CONTRACTING ORGANIZATION: National Institute for Occupational  
Safety and Health  
Cincinnati, Ohio 45226

REPORT DATE: October 1996

TYPE OF REPORT: Annual

PREPARED FOR: Commander  
U.S. Army Medical Research and Materiel Command  
Fort Detrick, Frederick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for public release;  
distribution unlimited

The views, opinions and/or findings contained in this report are  
those of the author(s) and should not be construed as an official  
Department of the Army position, policy or decision unless so  
designated by other documentation.

19970220 086

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE October 1996		3. REPORT TYPE AND DATES COVERED Annual (1 Oct 95 - 30 Sep 96)
4. TITLE AND SUBTITLE Predictive Value of Serum Organochlorine Levels and Breast Cancer in Occupationally Exposed Populations			5. FUNDING NUMBERS 94MM4563	
6. AUTHOR(S)  Paul A. Schulte, Ph.D.				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  National Institute for Occupational Safety and Health Cincinnati, Ohio 45226			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Commander U.S. Army Medical Research and Materiel Command Fort Detrick, Frederick, Maryland 21702-5012			10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STATEMENT  Approved for public release; distribution unlimited			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200) The role of environmental factors in the etiology of breast cancer is unclear but suggestive. Exposures to organochlorine compounds have been suggested as risk factors for breast cancer because of their estrogen-like effect. The objective of this study is to determine if the high serum levels of various organochlorine compounds, detected 5-20 years before diagnosis, are risk factors for breast cancer, utilizing serums collected by the Janus Serum Bank prior to diagnosis. Since we identified too few subjects in high risk occupations and there was concern about over matching, we chose to study employed women (including farmers wives) that also includes the high risk occupations. The original plan was to analyze the estrogen and anti-estrogen compounds on separate groups of cases and controls. However, protocol reviewers suggested that the study would be stronger if all compounds were measured on the same subjects. A selection algorithm has been developed; 150 cases and 150 matched controls have been delivered to the CDC laboratory for analysis. Since only 1.1 ml of serum are available on each subject, the laboratory developed methods to assay both types of compounds on this amount of serum. This method was tested on a batch of 16 samples and found to be sensitive for the analytes of interest. A detailed statistical plan is being developed.				
14. SUBJECT TERMS  Breast Cancer, organochlorine, Janus Serum Bank, case-control algorithm, anti-estrogens, estrogens			15. NUMBER OF PAGES 7	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT Unlimited	

## FOREWORD

Opinions, interpretations, conclusions and recommendations are those of the author and are not necessarily endorsed by the U.S. Army.

NA Where copyrighted material is quoted, permission has been obtained to use such material.

NA Where material from documents designated for limited distribution is quoted, permission has been obtained to use the material.

NA Citations of commercial organizations and trade names in this report do not constitute an official Department of Army endorsement or approval of the products or services of these organizations.

NA In conducting research using animals, the investigator(s) adhered to the "Guide for the Care and Use of Laboratory Animals," prepared by the Committee on Care and use of Laboratory Animals of the Institute of Laboratory Resources, national Research Council (NIH Publication No. 86-23, Revised 1985).

✓ NA For the protection of human subjects, the investigator(s) adhered to policies of applicable Federal Law 45 CFR 46.

NA In conducting research utilizing recombinant DNA technology, the investigator(s) adhered to current guidelines promulgated by the National Institutes of Health.

NA In the conduct of research utilizing recombinant DNA, the investigator(s) adhered to the NIH Guidelines for Research Involving Recombinant DNA Molecules.

NA In the conduct of research involving hazardous organisms, the investigator(s) adhered to the CDC-NIH Guide for Biosafety in Microbiological and Biomedical Laboratories.

 10-15-96  
\_\_\_\_\_  
PI - Signature Date

## Table of Contents

Front Cover.....	1
SF 298 Report Documentation Page .....	2
Foreword .....	3
Table of Contents .....	4
Introduction .....	5
Body .....	5
Conclusion .....	6
References .....	7

## Introduction

The role of organochlorine compounds in breast cancer is still uncertain. It is not known whether estrogens act as initiators, promoters, or both with regard to breast cancer. Moreover, the diversity of estrogenic chemicals is quite large and estrogenic response in breast tissues is a complex process that is yet to be elucidated. However despite these unknowns, the circumstantial evidence that estrogens and estrogen-like compounds in some way contribute to risk for breast cancer is compelling. Our study has the potential to contribute useful information to the questions of the role of estrogenic agents in breast cancer risk by evaluating separately and simultaneously more than 30 organochlorine compounds, some of which are estrogenic and some are antiestrogenic. We had originally planned to conduct two related case-control studies, one evaluating estrogenic pesticides and PCBs and the other evaluating dioxins, furans, and PCBs that have antiestrogenic properties. Now, for a variety of reasons, primarily because it is a stronger design, we hope to conduct the study in one case-control design where both estrogenic and antiestrogen compounds will be evaluated in the same subjects.

## Body

During the reporting period the following activities have been performed:

**1) Selection of specimens** - The selection strategy for specimens (cases and controls) was applied to the Janus Serum Bank population and the study specimens (150 cases and 150 controls) were identified and delivered by Dr. Jellum to the laboratory in Atlanta. The specimens arrived still frozen and in good condition. The specimens were secured in a freezer.

**2) Enhancement and testing of the analytical method** - Earlier this year, we completed a feasibility study using a set of 16 thawed Janus serum samples. Since then, we have continued in the method development phase of this study to validate a method to allow the analysis of 75 congeners of PCDDs, PCDFs, cPCBs, PCBs, and persistent pesticides in one milliliter of serum. These analytes are quantified by high-resolution gas chromatography/isotope-dilution high-resolution mass spectrometry (HRGC-IDHRMS), the most accurate and precise method of quantitation.

We have received and tested a new automated sample cleanup system which will allow the sample throughput necessary to complete the laboratory analyses by the end of February 1997, as originally agreed upon. Along with a new solid-phase extraction, this new automated multi-column cleanup procedure has been tested for one milliliter of serum samples and shown to produce acceptable results.

The very low levels of many of the congeners in one milliliter of normal human serum required that we remake and validate all the analytical standards necessary to calibrate the HRMS for IDMS quantification. IDMS stands for 'isotope-dilution mass

spectrometry', the technique used for quantitation where the ratio of native (naturally occurring compounds) and their carbon-13 labeled internal standard are compared. IDHRMS is IDMS performed on a HRMS (as opposed to LRMS - low resolution MS). All of these standards and carbon-13 labeled internal standards for IDMS have now been prepared and aliquoted.

The feasibility study of 16 representative Janus samples was invaluable in defining the range of levels that we would find in the Janus study and thus appropriately make our standards to cover the range of expected levels. This information was also used to help set levels of the various congeners in quality control materials. Looking back at the 16 samples in the feasibility study we can say that some PCBs and pesticides were found in all samples, but not all proposed analytes were found in every sample. In general all PCDDs/PCDFs were essentially at the detection limit, however we did observe coplanar PCBs in some samples. We did note a trend that the concentration of analytes in that the most recently collected samples were generally lower than those collected in the 1970s (that means we should be able to see a difference in the concentration of some of the analytes in samples from the same person collected years apart).

Currently we are developing calibration and QA/QC criteria which will be used to insure the reliability of the results as outlined in our laboratory certification under the Clinical Laboratory Improvement Act (CLIA).

We have recently added a third high resolution mass spectrometer in order to expedite the laboratory throughput for the study. The most sensitive HRMS (Micromass's AutoSpec ULTIMA) will be used for the PCDDs, PCDFs and cPCBs. A Micromass AutoSpec and 70SE HRMS will be used for the pesticides and ortho-substituted PCB congeners, respectively. This summer we also completed an upgrade and subsequent validation of new software for the 70SE, to improve the sensitivity and stability of the mass spectrometer.

Finally, we have completely automated the data acquisition and data transfer for the HRMS's to a data base for QA/QC, as well as all aspects of data handling and reporting.

**3) Development of a detailed statistical analysis plan** - Work was begun on a detailed plan for the statistical analysis of the data. This plan will stipulate the exact statistical analyses and comparisons that will be conducted. The plan will be consistent with the general analyses in the original protocol.

## **Conclusion**

The efforts of this past year demonstrate that the approaches selected will work and should yield useful data. The study is proceeding on all fronts and we still expect to finish on schedule.

## **References**

Shames LS, Munekata MT, Pike MC: Blood levels of organochlorine residues and risk of breast cancer. JNCI 86: 1642-43, 1994.

Kvale G, Heuch I, Nilssen : Parity in relation to mortality and cancer incidence: a prospective study of Norwegian women. Int J Epi 23: 691-99, 1994.

Albreksten G, Heach I, Tretli S, Kvale S: Breast cancer incidence before age 55 in relation to parity and age at first and last births: A prospective study of one million Norwegian women. Epidemiology 3: 604-611, 1994.

Dunnick J, Elwell MR, Huff J, Barrett JC: Chemically induced mammary gland cancer in the National Toxicology Program: carcinogenesis bioassay. Carcinogenesis 16: 173-179, 1995.